C. 32

Contra

Costa

County

To:Board of SupervisorsFrom:William Walker, M.D., Health Services

Date: April 12, 2016

Subject: Increase the position hours of one Cook position in the Health Services Department

RECOMMENDATION(S):

ADOPT Position Adjustment Resolution No. 21850 to increase the hours of a permanent part-time Cook (1KWA) position #9641, from 24/40 to 40/40 in the Health Services Department. (Represented)

FISCAL IMPACT:

Upon approval, the costs associated with this action will be approximately \$27,240 annually with benefits, including \$6,578 in pension costs. Costs will be funded by Enterprise Fund I (100%).

BACKGROUND:

Contra Costa Regional Medical Center's (CCRMC) Nutrition Services unit has identified a need to increase the hours of Cook position #9641 from a 24/40 part-time position to a full-time position. The incumbent in this position has been working the increased hours in excess of 12 months and the Department has determined an ongoing need for these increased hours. Cooks working at CCRMC have a direct patient care impact as the food prepared is provided to hospital patients, staff and visitors.

✓ APPROVE✓ RECOMMENDATION OF CNT ADMINISTRATOR	OTHER Y RECOMMENDATION OF BOARD COMMITTEE
Action of Board On: 04/12/2016 APPROVED AS RECOMMENDED OTHER	
Clerks Notes:	
VOTE OF SUPERVISORS	
AYE: John Gioia, District I Supervisor	
Candace Andersen, District II Supervisor	I hereby certify that this is a true and correct copy of an action taken and entered on the minutes of the Board of Supervisors on the date shown.
Mary N. Piepho, District III Supervisor	ATTESTED: April 12, 2016
Karen Mitchoff, District IV Supervisor Federal D. Glover, District V Supervisor	David Twa, County Administrator and Clerk of the Board of Supervisors
Contact: Kristen Cunningham, 925-957-5267	By: Chris Heck, Deputy

CONSEQUENCE OF NEGATIVE ACTION:

If this action is not approved, Contra Costa Regional Medical Center will not have adequate staffing hours in its kitchen which directly impacts patient care.

CHILDREN'S IMPACT STATEMENT:

Not applicable.

ATTACHMENTS P300 No. 21850 HSD