ors

Contra Costa County

To: Contra Costa County Fire Protection District Board of Directors

From: Jeff Carman, Chief, Contra Costa County Fire Protection District

Date: March 14, 2017

Subject: Tesoro Foundation Grant for Hazardous Gas Monitor Project

RECOMMENDATION(S):

APPROVE and AUTHORIZE the Fire Chief, or designee, to accept grant funding from the Tesoro Foundation in an amount not to exceed \$49,500 for the purchase of hazardous multi-gas detection devices and related equipment in the Contra Costa County Fire Protection District.

FISCAL IMPACT:

100% Tesoro Foundation Grant. No local agency matching funds required.

BACKGROUND:


The Contra Costa County Fire Protection District (District) spans 372 square miles with over 742,000 permanent residents. Some of the nine incorporated cities served by the District are suburban "sleeper" communities; however, dense population and commercial centers in the cities of Concord, Pleasant Hill, Walnut Creek, and parts of Martinez feature dozens of mid- and high-rise office buildings, multi-story, multi-residential apartment and condominium buildings, and multi-story, mixed-use commercial/residential occupancies. There are over 300 assisted-care and residential facilities within the region with elderly and/or disabled residents in frequent need of emergency medical services (EMS).

✓ APPROVE	OTHER
	TY RECOMMENDATION OF BOARD COMMITTEE
Action of Board On: 03/14/2017 APPROVED AS RECOMMENDED OTHER Clerks Notes: VOTE OF SUPERVISORS	
AYE: John Gioia, Director Candace Andersen, Director Diane Burgis, Director Karen Mitchoff, Director Federal D. Glover, Director	I hereby certify that this is a true and correct copy of an action taken and entered on the minutes of the Board of Supervisors on the date shown. ATTESTED: March 14, 2017 David Twa, County Administrator and Clerk of the Board of Supervisors
Contact: Lon Goetsch, Asst Fire Chief (925) 941-3502	By: June McHuen, Deputy

cc:

In addition to providing fire, rescue, EMS, and hazardous materials response, the District partners with American Medical Response (AMR) for emergency medical transport for the majority of the County.

Several major industrial sites are located in close proximity to populated areas of the District, as are railroad lines and major local and State roadways that service those industrial sites. Industrial facilities include Shell and Tesoro oil refineries, Dow Chemical, Rhodia, Air Products, Kinder-Morgan Pipelines, a PG&E generating plant, and several cogeneration power plants. Over 50 businesses handling hazardous materials are required per State regulations to develop and maintain risk management plans that are reviewed and inspected by the County. The County's Health Services Department periodically inspects over 2,600 local businesses that are involved with hazardous materials. Furthermore, during normal work hours, and for some facilities operating on a 24/7 basis, many of the corporate offices are occupied by shift employees. Examples include Bank of America, which has a 6-story processing center that encompasses a city block in downtown Concord; PMI Mortgage, which runs a 24-hour operation in a high rise building in Pleasant Hill; and Chevron, which maintains a corporate office complex.



•

BACKGROUND: (CONT'D)

Lack of oxygen

- Presence of carbon monoxide
- Flammable gas atmospheres
- Presence of hydrogen sulfide

Every year District firefighters respond to hundreds of reported gas leaks and odor investigations. Hazardous gas monitors are instrumental in maintaining and improving the safety of firefighters and the communities we serve. The District is grateful to the Tesoro Foundation for its assistance in being able to acquire multi-gas detectors for all fire companies within the District.

CONSEQUENCE OF NEGATIVE ACTION:

The District will not be able to take advantage of this generous funding opportunity to provide each of the District's fire companies with much needed multi-gas detectors to identify hazardous working conditions.

CHILDREN'S IMPACT STATEMENT:

No impact.