SLAL OUT

Contra Costa County

To: Board of Supervisors

From: William Walker, M.D., Health Services Director

Date: July 11, 2017

Subject: Purchase Order renewal with the Echo Group, Inc. for InSyst/PSP Software and Hardware Maintenance

RECOMMENDATION(S):

Approve and authorize the Purchasing Agent, on behalf of the Health Services Department, to execute a Purchase Order with the Echo Group, Inc., in an amount not to exceed \$120,000, for InSyst/PSP software and hardware maintenance for the Behavioral Health Mental Health and Alcohol and Other Drugs Services divisions, for the period July 1, 2017 through December 31, 2017.

FISCAL IMPACT:

Funding is 95% Mental Health Realignment and \$5% General Fund.

BACKGROUND:

Since 1999, the Behavioral Health Services Division has used the Echo Group's InSyst/PSP system to process the Health Services Department's Mental Health and Alcohol and Other Drugs Services client registrations, services charges, billing accounts receivable, fiscal reporting, and scheduling functions. The County owns a perpetual license for the InSyst/PSP System.

Approval will allow the vendor to provide maintenance through December 31, 2017 at

✓ APPROVE	OTHER
№ RECOMMENDATION OF C	CNTY ADMINISTRATOR RECOMMENDATION OF BOARD COMMITTEE
Action of Board On: 07/11/2017	✓ APPROVED AS RECOMMENDED ☐ OTHER
Clerks Notes:	
VOTE OF SUPERVISORS	
AYE: John Gioia, District I Supervisor Candace Andersen, District II Supervisor Diane Burgis, District III Supervisor Karen Mitchoff, District IV Supervisor Federal D. Glover, District V Supervisor	I hereby certify that this is a true and correct copy of an action taken and entered on the minutes of the Board of Supervisors on the date shown. ATTESTED: July 11, 2017 David Twa, County Administrator and Clerk of the Board of Supervisors By: June McHuen, Deputy
Contact: David Runt,	

925-313-6220

hich time InSyst maintenance will be covered under ShareCare maintenance Contract 23-274-12 effective January 1, 2018.	

CONSEQUENCE OF NEGATIVE ACTION:

If this Purchase Order is not approved, the vendor support for the InSyst/PSP system would cease, and Health Services would be unable to obtain application software upgrades and/or regulatory system modifications. The integrity of service data posted and claims generated from within the system for adjudication by third party payors and the State could be compromised. Failure to renew maintenance support would directly impact patient care.