



Contra  
Costa  
County

To: Board of Supervisors  
From: Brian M. Balbas, Public Works Director/Chief Engineer  
Date: October 16, 2018

Subject: Approve Plans for San Pablo Dam Road Landslide and Bench Repair

---

**RECOMMENDATION(S):**

APPROVE plans for the San Pablo Dam Road Landslide and Bench Repair, as recommended by the Public Works Director, El Sobrante area.

**FISCAL IMPACT:**

The cost is to be funded by 100% Local Road Funds.

**BACKGROUND:**

The purpose of this repair is to fix a failed slope along the west side of San Pablo Dam Road approximately 0.5 miles south of Tri Lane in the El Sobrante area. The work will reconstruct the failed slope and maintenance access bench with engineered fill. The work also includes constructing a concrete v-ditch located at the back side of the maintenance access bench, and modifying the existing hydraugers to drain to the new concrete v-ditch.

**CONSEQUENCE OF NEGATIVE ACTION:**

The landslide and maintenance access bench will not be repaired.

---

☒ APPROVE

☐ OTHER

☒ RECOMMENDATION OF CNTY ADMINISTRATOR

☐ RECOMMENDATION OF BOARD COMMITTEE

---

Action of Board On: **10/16/2018** ☒ APPROVED AS RECOMMENDED ☐ OTHER

Clerks Notes:

**VOTE OF SUPERVISORS**

AYE: John Gioia, District I Supervisor  
Candace Andersen, District II Supervisor  
Diane Burgis, District III Supervisor  
Karen Mitchoff, District IV Supervisor  
Federal D. Glover, District V Supervisor

I hereby certify that this is a true and correct copy of an action taken and entered on the minutes of the Board of Supervisors on the date shown.

ATTESTED: October 16, 2018

David Twa, County Administrator and Clerk of the Board of Supervisors

By: Stacey M. Boyd, Deputy

Contact: Brian Louis 925  
313-7039

cc:

